

Drugs of Abuse, Street Names, and Effects

Adapted from [Commonly Abused Drugs \(NIDA\)](#)

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Sedatives/Depressants			
<u>Alcohol</u>	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Wernicke encephalopathy, Korsakoff amnesia, working memory and attention deficits, decreased visuospatial functioning [Brown: 2008]
<u>Barbiturates</u> (<i>Amytal, Nembutal, Seconal, phenobarbital: barbs, reds, red birds, phennies, tooies, yellows, yellow jackets</i>)	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Unknown
<u>Benzodiazepines</u> (<i>Ativan, Halcion, Librium, Valium, Xanax: candy, downers, sleeping pills, tranks</i>)	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Unknown
<u>Methaqualone</u> - synthetic barbiturate (<i>quaalude, Sopor, Parest: ludes, mandrex, quad, quay</i>)	Dizziness, nausea/vomiting, paresthesia, respiratory depression, confusion	Agitation, confusion, hallucinosis, seizures, delirium tremens	Erectile dysfunction, other effects unknown
Cannabinoids			
<u>Hashish</u> (<i>boom, chronic, gangster, hash, hash oil, hemp</i>)	Conjunctival injection, increased appetite, dry mouth, tachycardia, impaired coordination and judgment, euphoria, sense of slowed thinking and reaction time	Irritability, anger, aggression, nervousness or anxiety, insomnia, decreased appetite, restlessness, depression, abdominal pain, tremor, sweating, fever, chills, headache	Cough, respiratory infections, impaired memory and learning, increased heart rate, anxiety, development of psychosis later in life [Pope: 2001] [Moore: 2007]

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
<u>Marijuana</u> (<i>blunt, dope, ganja, grass, herb, joints, Mary Jane, pot, reefer, sinsemilla, skunk, weed</i>)	Conjunctival injection, increased appetite, dry mouth, tachycardia, impaired coordination and judgment, euphoria, sense of slowed thinking and reaction time	Irritability, anger, aggression, nervousness or anxiety, insomnia, decreased appetite, restlessness, depression, abdominal pain, tremor, sweating, fever, chills, headache	Cough, respiratory infections, impaired memory and learning, increased heart rate, anxiety, development of psychosis later in life [Pope: 2001] [Moore: 2007]
<u>Synthetic cannabinoids</u> (<i>spice, K2, black mamba, blaze, bliss, fake pot, fake weed, genie, joker, moon rocks, Scooby snacks, skunk, smoke, Yucatan fire</i>)	Altered sense of time, paranoia, psychosis (hallucinations, delusions, agitation, and violence)	Craving, nightmares and insomnia, sweating, nausea, tremor, headaches, fatigue, irritability, depression	Unknown
Nicotine			
<u>Nicotine</u> (<i>chewing tobacco, snuff, cigarettes, vaping</i>)	Nausea, vomiting, diarrhea, salivation, pallor, weakness, elevated BP/HR, tremor, cold sweats	Irritability, frustration, anger, anxiety, difficulty concentrating, increased appetite, restlessness, depressed mood, insomnia	Working memory and learning deficits [Kenney:2008]
Stimulants			
<u>Amphetamine</u> (<i>bennies, black beauties, crosses, hearts, LA turnaround, speed, truck drivers, uppers</i>)	Euphoria, hypervigilance, anxiety, anger, irritability, impaired judgment, autonomic instability, mydriasis, sweating and chills, decreased appetite and weight loss, psychomotor agitation, chest pain and cardiac arrhythmia, confusion, seizures, psychosis	Dysphoria, anhedonia, suicidality (“the crash”), fatigue, vivid and unpleasant dreams, sleep disturbance (insomnia or hypersomnia), psychomotor retardation, agitation	Tooth decay, gum disease, loss of smell, nasal damage, GI infection (loss of bowel tissue), poor nutrition, weight loss, attention and impulse-control deficits [Dalley: 2005]
<u>Bath Salts</u> (<i>bliss, blue silk, cloud nine, ivory wave, lunar wave, red dawn, red dove, sextasy, stardust, vanilla sky, white burn, white china, white dove, white lightning, wicked x or xx</i>)	Hallucinations, agitation, euphoria, paranoia, nightmares, insomnia, suicidal thoughts, prolonged panic attacks, fever, tinnitus, bruxism, muscle cramps, chest pain, seizures	Depression	Hypertension, renal failure, hepatotoxicity, skeletal muscle tissue breakdown

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
<u>Caffeine</u>	Anxiety, psychomotor agitation, restlessness, muscle twitching, diuresis, GI disturbance, >1 g – rambling speech, confusion, agitation, tinnitus, >10 g – seizures, respiratory failure, death	Headache, fatigue, anxiety, irritability, dysphoria, muscle pain/stiffness	Anxiety, tremor
<u>Cocaine</u> (<i>blow, bump, C, candy, Charlie, coke, crack, flake, rock, snow, toot</i>)	Euphoria, hypervigilance, anxiety, anger, irritability, impaired judgment, autonomic instability, mydriasis, sweating and chills, decreased appetite and weight loss, psychomotor agitation, chest pain and cardiac arrhythmia, confusion, seizures, psychosis	Dysphoria, anhedonia, suicidality (“the crash”), fatigue, vivid and unpleasant dreams, sleep disturbance (insomnia or hypersomnia), psychomotor retardation, agitation	Cognitive deficits [Hernandez: 2005] tooth decay, gum disease, loss of smell, nasal damage, GI infection (loss of bowel tissue), poor nutrition, weight loss, attention and impulse-control deficits [Dalley: 2005]
<u>Khat</u> (<i>Abyssinian tea, African salad, kat, oat</i>)	Euphoria, hyperarousal, increased heart rate and blood pressure, irritability, insomnia	Depression, nightmares, low energy	GI problems, tooth decay, gum disease, arrhythmia, myocardial infarction
<u>Methamphetamine</u> (<i>chalk, crank, crystal, fire, glass, go fast, ice, meth, speed</i>)	Euphoria, hypervigilance, anxiety, anger, irritability, impaired judgment, autonomic instability, mydriasis, sweating and chills, decreased appetite and weight loss, psychomotor agitation, chest pain and cardiac arrhythmia, confusion, seizures, psychosis	Dysphoria, anhedonia, suicidality (“the crash”), fatigue, vivid and unpleasant dreams, sleep disturbance (insomnia or hypersomnia), psychomotor retardation, agitation	Tooth decay, gum disease, loss of smell, nasal damage, GI infection (loss of bowel tissue), poor nutrition, weight loss, attention and impulse-control deficits [Dalley: 2005]
Opioids			
<u>Heroin</u> (<i>brown sugar, China white, dope, H, horse, junk, smack</i>)	Euphoria or dysphoria, impaired judgment, miosis, warm skin, flushing, drowsiness, slurred speech, impaired memory, respiratory depression, seizures	Dysphoria, GI symptoms (N/V, diarrhea), muscle and bone pain, lacrimation, rhinorrhea, yawning, mydriasis, piloerection, sweating, fever, insomnia	Abscesses, endocarditis, constipation, liver and kidney disease, pneumonia, cognitive deficits [Lyvers: 2003]

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
<u>Prescription opioids</u> (<i>codeine, hydrocodone, hydromorphone, meperidine, methadone, morphine, oxycodone, fentanyl</i>)	Euphoria or dysphoria, impaired judgment, miosis, warm skin, flushing, drowsiness, slurred speech, impaired memory, respiratory depression, seizures	Dysphoria, GI symptoms (N/V, diarrhea), muscle and bone pain, lacrimation, rhinorrhea, yawning, mydriasis, piloerection, sweating, fever, insomnia	Abscesses, endocarditis, constipation, liver and kidney disease, pneumonia, cognitive deficits [Lyvers: 2003]
Hallucinogens			
<u>Lysergic acid diethylamide</u> (<i>LSD, acid, blotter, boomers, cubes, microdot, yellow sunshines</i>)	Mood change (anxiety or depression), fear of “losing one’s mind,” intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis. Tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings
<u>Mescaline</u> (<i>buttons, cactus, mesc, peyote</i>)	Mood change (anxiety or depression), fear of “losing one’s mind,” intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis. Tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings
<u>Phencyclidine</u> (<i>PCP, angel dust, boat, hog, love boat, peace pill</i>)	Vertical or rotary nystagmus, hypertension, tachycardia, numbness, decreased pain response, ataxia, dysarthria, muscle rigidity, hyperacusis, seizures/coma, belligerence, agitation and violence, impulsiveness, impaired judgment, agitation	Lethargy, depression, cravings	Scary flashbacks, psychosis, paranoia, mood swings

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
<u>Psilocybin</u> (<i>magic mushroom, purple passion, shrooms</i>)	Mood change (anxiety or depression), fear of “losing one’s mind,” intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis. tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings
<u>3,4-methylenedioxymethamphetamine</u> (<i>MDMA, Adam, clarity, ecstasy, Eve, lover's speed, Molly, peace, STP, X, XTC</i>)	Mood change (anxiety or depression), fear of “losing one’s mind,” intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis, tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings
Inhalants			
<u>Inhalants</u> (<i>laughing gas, poppers, snappers, whippets</i>)	Dizziness, wheezing, nystagmus, slurred speech, unsteady gait, hyporeflexia, psychomotor retardation, incoordination, tremor, muscle weakness, diplopia, stupor, unconsciousness, impaired memory	Irritability, dysphoria, sleep disturbance, headache, dry mouth, lacrimation	Apathy, depression, sudden death (suffocation, cardiac arrhythmia), CT/MRI - diffuse atrophy with leukoencephalopathy, areas of decreased cerebral blood flow, peripheral neuropathy, memory loss, Parkinson-like movement disorders, cognitive impairment [Rosenberg:1988]
Over-the-Counter Medication			
<u>Cough syrup/dextromethorphan</u> (<i>Robo, Robo-tripping, Triple C</i>)	Euphoria, slurred speech, increased HR/BP, dizziness, nausea/vomiting, paranoia, altered visual perception	Unknown	Unknown

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Anabolic Steroids			
See Anabolic Steroids for trade forms and street names.	See Anabolic Steroids for effects.	See Anabolic Steroids for effects.	See Anabolic Steroids for effects.
Club Drugs / "Date-Rape" Drugs			
<u>Gamma-hydroxybutyrate</u> (<i>GHB, Georgia home boy, grievous bodily harm, liquid ecstasy</i>)	Euphoria, drowsiness, confusion, hallucinations, psychomotor agitation/excitation, low thyroid, low blood, pressure, low heart rate, unconsciousness, seizures, nausea/vomiting	Insomnia, anxiety, tremor, sweating, elevated heart rate and blood pressure	Unknown
<u>Ketamine</u> (<i>Ketalar SV: cat Valium, K, Special K, vitamin K</i>)	Attention/memory problems, dreamlike state, hallucinations, sedation, confusion, memory loss, profound psychomotor retardation, respiratory depression	Unknown	Depression, memory loss, kidney problems, bladder ulcers, and pain
<u>Rohypnol/flunitrazepam</u> (<i>forget-me pill, Mexican Valium, R2, roche, roofies, roofinol, rope, rophies</i>)	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Unknown

Authors

Authors: [Mary Steinmann, MD](#) - 5/2017

Content Last Updated: 5/2017

Bibliography

Brown SA, McGue M, Maggs J, Schulenberg J, Hingson R, Swartzwelder S, Martin C, Chung T, Tapert SF, Sher K, Winters KC, Lowman C, Murphy S.

A developmental perspective on alcohol and youths 16 to 20 years of age.

Pediatrics. 2008;121 Suppl 4:S290-310. [PubMed abstract](#) / [Full Text](#)

Dalley JW, Theobald DE, Berry D, Milstein JA, Lääne K, Everitt BJ, Robbins TW.

Cognitive sequelae of intravenous amphetamine self-administration in rats: evidence for selective effects on attentional performance.

Neuropsychopharmacology. 2005;30(3):525-37. [PubMed abstract](#)

Hernandez PJ, Kelley AE.

Cracking addiction the second time around: reconsolidation of drug-related memories.

Neuron. 2005;47(6):772-5. [PubMed abstract](#)

Kenney JW, Gould TJ.

Nicotine enhances context learning but not context-shock associative learning.

Behav Neurosci. 2008;122(5):1158-65. [PubMed abstract](#) / [Full Text](#)

Lyvers M, Yakimoff M.

Neuropsychological correlates of opioid dependence and withdrawal.

Addict Behav. 2003;28(3):605-11. [PubMed abstract](#)

Moore THM, Zammit S, Lingford-Hughes A, Barnes TRE, Jones PB, Burke M, Lewis G

Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review

Lancet. 2007; 370:319-328.

Rosenberg NL, Kleinschmidt-DeMasters BK, Davis KA, et al.

Toluene abuse causes diffuse central nervous system white matter changes.

Ann Neurol 1988;23(6):611Y614.

National Institute on Drug Abuse; National Institutes of Health; U.S. Department of Health and Human Services. <https://www.drugabuse.gov/drugs-abuse/commonly-abused-drugs-charts>. Accessed 5/13/2017.